

ELENCO DELLE PUBBLICAZIONI (1999-2018)

- Passalacqua M, Patrone M, Sparatore B, **Pedrazzi M**, Melloni E, Pontremoli S. Protein kinase C-theta is specifically activated in murine erythroleukaemia cells during mitosis. (1999) *FEBS Lett.* 453(3):249-253.
- Sparatore B, Patrone M, Passalacqua M, **Pedrazzi M**, Melloni E, Pontremoli S. Neuronal differentiation of PC12 cells involves changes in protein kinase C- distribution and molecular properties. (2000) *Biochem Biophys Res Commun.* 275(1):149-153.
- Sparatore B, Patrone M, Passalacqua M, **Pedrazzi M**, Melloni E, Pontremoli S. Human neuroblastoma cell differentiation requires protein kinase C-. (2000) *Biochem Biophys Res Commun.* 279(2):589-594.
- Sparatore B, Patrone M, Passalacqua M, **Pedrazzi M**, Gaggero D, Pontremoli S, Melloni E. Extracellular processing of amphotericin generates a peptide active on erythroleukaemia cell differentiation. (2001) *Biochem J.* 357(Pt 2):569-574.
- Sparatore B, **Pedrazzi M**, Passalacqua M, Gaggero D, Patrone M, Pontremoli S, Melloni E. Stimulation of erythroleukaemia cell differentiation by extracellular high-mobility group-box protein 1 is independent of the receptor for advanced glycation end-products. (2002) *Biochem J.* 363(Pt 3):529-535.
- Sparatore B, Passalacqua M, **Pedrazzi M**, Ledda S, Patrone M, Gaggero D, Pontremoli S, Melloni E. Role of the kinase activation loop on protein kinase C theta activity and intracellular localisation. (2003) *FEBS Lett.* 554(1-2):35-40.
- Sparatore B, Patrone M, Passalacqua M, **Pedrazzi M**, Ledda S, Pontremoli S, Melloni E. Activation of A431 human carcinoma cell motility by extracellular high mobility group box 1 protein and epidermal growth factor stimuli. (2005) *Biochem J.* 389(Pt 1):215-221.
- Mitola S, Belleri M, Urbinati C, Coltrini D, Sparatore B, **Pedrazzi M**, Melloni E, Presta M. Cutting edge: extracellular high mobility group box-1 protein is a pro-angiogenic cytokine. (2006) *J Immunol.* 176(1):12-15.
- Pedrazzi M**, Raiteri L, Bonanno G, Patrone M, Ledda S, Passalacqua M, Milanese M, Melloni E, Raiteri M, Pontremoli S, Sparatore B. Stimulation of excitatory amino acid release from adult mouse brain glia subcellular particles by high mobility group box 1 protein. (2006) *J Neurochem.* 99(3):827-838.
- Faraco G, Fossati S, Bianchi ME, Patrone M, **Pedrazzi M**, Sparatore B, Moroni F, Chiarugi A. High mobility group box 1 protein is released by neural cells upon different stresses and worsens ischemic neurodegeneration in vitro and in vivo. (2007) *J Neurochem.* 103(2):590-603.
- Bonanno G, Raiteri L, Milanese M, Zappettini S, Melloni E, **Pedrazzi M**, Passalacqua M, Tacchetti C, Usai C, Sparatore B. The high mobility group box 1 cytokine induces transporter-mediated release of glutamate from glial subcellular particles (gliosomes) prepared from in situ-matured astrocytes. (2007) *Int Rev Neurobiol.* 82: 73-93. Review.
- Pedrazzi M**, Patrone M, Passalacqua M, Ranzato E, Colamassaro D, Sparatore B, Pontremoli S, Melloni E. Selective pro-inflammatory activation of astrocytes by high-mobility group box 1 protein signaling. (2007) *J Immunol.* 179(12):8525–8532.
- Bassi R, Giussani P, Anelli V, Colleoni T, **Pedrazzi M**, Patrone M, Viani P, Sparatore B, Melloni E, Riboni L. HMGB1 as an autocrine stimulus in human T98G glioblastoma cells: role in cell growth and migration. (2008) *J. Neurooncol.* 87(1):23-33.
- Musante V, Neri E, Feligioni M, Puliti A, **Pedrazzi M**, Conti V, Usai C, Diaspro A, Ravazzolo R, Henley JM, Battaglia G, Pittaluga A. Presynaptic mGlu1 and mGlu5 autoreceptors facilitate glutamate exocytosis from mouse cortical nerve endings. (2008) *Neuropharmacology* 55(4):474-482.
- Musante V, Longordo F, Neri E, **Pedrazzi M**, Kalfas F, Severi P, Raiteri M, Pittaluga A. RANTES modulates the release of glutamate in human neocortex. (2008) *J. Neurosci.* 28(47):12231-12240.
- Passalacqua M, **Pedrazzi M**, Sparatore B, Patrone M, Pontremoli S, Melloni E. Functional role of the charge at the T538 residue in the control of protein kinase C θ . (2009) *Arch. Biochem. Biophys.* 481(2):202-209.
- Balsamo M, Zambello R, Teramo A, **Pedrazzi M**, Sparatore B, Scordamaglia F, Pende D, Mingari MC, Moretta L, Moretta A, Semenzato G, Vitale M. Analysis of NK cell/DC interaction in NK-type lymphoproliferative disease of granular lymphocytes (LDGL): role of DNAM-1 and NKp30. (2009) *Exp Hematol.* 37(10):1167-1175.

- Ranzato E, Patrone M, **Pedrazzi M**, Burlando B. HMGB1 promotes scratch wound closure of HaCaT keratinocytes via ERK1/2 activation. (2009) *Mol Cell Biochem.* 332(1-2):199-205.
- Stifanese R, Averna M, De Tullio R, **Pedrazzi M**, Beccaria F, Salamino F, Milanese M, Bonanno G, Pontremoli S, Melloni E. Adaptive modifications in the calpain/calpastatin system in brain cells following persistent alteration in Ca²⁺ homeostasis. (2010) *J Biol Chem.* 285(1):631-643.
- Ranzato E, Patrone M, **Pedrazzi M**, Burlando B. Hmgb1 promotes wound healing of 3T3 mouse fibroblasts via rage-dependent ERK1/2 activation. (2010) *Cell Biochem Biophys.* 57(1): 9-17.
- Averna M, Stifanese R, Grosso R, **Pedrazzi M**, De Tullio R, Salamino F, Pontremoli S, Melloni E. The role of calpain in the regulation of CFTR (cystic fibrosis transmembrane conductance regulator) turnover. (2010) *Biochem J.* 430(2): 255-263.
- Averna M, Stifanese R, Grosso R, **Pedrazzi M**, De Tullio R, Salamino F, Sparatore B, Pontremoli S, Melloni E. Calpain digestion and HSP90-based chaperone protection modulate the level of plasma membrane F508del-CFTR. (2011) *Biochim Biophys Acta.* 1813(1): 50-59.
- Cavone L, Muzzi M, Mencucci R, Sparatore B, **Pedrazzi M**, Moroni F, Chiarugi A. 18 β -glycyrrhetic acid inhibits immune activation triggered by HMGB1, a pro-inflammatory protein found in the tear fluid during conjunctivitis and blepharitis. (2011) *Ocul Immunol Inflamm.* 19(3):180-185.
- Ranzato E, Martinotti S, **Pedrazzi M**, Patrone M. High mobility group box protein-1 in wound repair. (2012) *Cells.* 1(4):699-710. Review.
- Pedrazzi M**, Averna M, Sparatore B, Patrone M, Salamino F, Marcoli M, Maura G, Cervetto C, Frattaroli D, Pontremoli S, Melloni E. Potentiation of NMDA receptor-dependent cell responses by extracellular high mobility group box 1 protein. (2012) *PLoS One.* 7(8):e44518.
- Averna M, **Pedrazzi M**, Minicucci L, De Tullio R, Cresta F, Salamino F, Pontremoli S, Melloni E. Calpain inhibition promotes the rescue of F(508)del-CFTR in PBMC from cystic fibrosis patients. (2013) *PLoS One.* 8(6):e66089.
- De Tullio R, Averna M, **Pedrazzi M**, Sparatore B, Salamino F, Pontremoli S, Melloni E. Differential regulation of the calpain-calpastatin complex by the L-domain of calpastatin. (2014) *Biochim Biophys Acta.* 1843(11):2583-2591.
- Stifanese R, Averna M, De Tullio R, **Pedrazzi M**, Milanese M, Bonifacino T, Bonanno G, Salamino F, Pontremoli S, Melloni E. Role of calpain-1 in the early phase of experimental ALS. (2014) *Arch Biochem Biophys.* 562:1-8.
- Averna M, De Tullio R, **Pedrazzi M**, Bavestrello M, Pellegrini M, Salamino F, Pontremoli S, Melloni E. Interaction between calpain-1 and HSP90: new insights into the regulation of localization and activity of the protease. (2015) *PLoS One.* 10(1):e0116738.
- Averna M, Pellegrini M, Cervetto C, **Pedrazzi M**, Bavestrello M, De Tullio R, Salamino F, Pontremoli S, Melloni E. Physiological Roles of Calpain 1 Associated to Multiprotein NMDA Receptor Complex. (2015) *PLoS One.* 10(10):e0139750.
- Parodi M, **Pedrazzi M**, Cantoni C, Averna M, Patrone M, Cavaletto M, Spertino S, Pende D, Balsamo M, Pietra G, Sivori S, Carlomagno S, Mingari MC, Moretta L, Sparatore B, Vitale M. Natural Killer (NK)/melanoma cell interaction induces NK-mediated release of chemotactic High Mobility Group Box-1 (HMGB1) capable of amplifying NK cell recruitment. (2015) *Oncoimmunology.* 4(12):e1052353.
- Martinotti S, Patrone M, Manfredi M, Gosetti F, **Pedrazzi M**, Marengo E, Ranzato E. HMGB1 Osteo-Modulatory Action on Osteosarcoma SaOS-2 Cell Line: An Integrated Study From Biochemical and -Omics Approaches. (2016) *J Cell Biochem.* 117(11):2559-2569.
- Cantoni C, Huergo-Zapico L, Parodi M, **Pedrazzi M**, Mingari MC, Moretta A, Sparatore B, Gonzalez S, Olive D, Bottino C, Castriconi R, Vitale M. NK Cells, Tumor Cell Transition, and Tumor Progression in Solid Malignancies: New Hints for NK-Based Immunotherapy? (2016) *J Immunol Res.* 2016:4684268. Review.
- Averna M, Bavestrello M, Cresta F, **Pedrazzi M**, De Tullio R, Minicucci L, Sparatore B, Salamino F, Pontremoli S, Melloni E. Abnormal activation of calpain and protein kinase C α promotes a constitutive release of matrix metalloproteinase 9 in peripheral blood mononuclear cells from cystic fibrosis patients. (2016) *Arch Biochem Biophys.* 604:103-112.

Averna M, Casazza AA, Martines A, **Pedrazzi M**, Franchi A, De Tullio R, Perego P, Melloni E. Cell protection from Ca²⁺-overloading by bioactive molecules extracted from olive pomace. (2018) Nat Prod Res. 1-7.

De Tullio R, Franchi A, Martines A, Averna M, **Pedrazzi M**, Melloni E, Sparatore B. Unexpected role of the L-domain of calpastatin during the autoproteolytic activation of human erythrocyte calpain. (2018) Biosci Rep. pii: BSR20180147.